

DISCHARGE APPLICATION FOR SILVER PROCESSORS

Mail completed and signed application to:

Encina Wastewater Authority 6200 Avenida Encinas Carlsbad, CA 92011 Phone: (760) 438-3941

Permit No.	_
Reviewer	
Date	

SECTION A – GENERAL INFORMATION

	Facility Address:								
		Street		City		Zip			
		☐ Corporation	1	☐ Partnershi	p	☐ Sole Proprie	tor		
	Corporate/Owner(s) Nan	nes:							
	Head Office Address:					<u>-</u>			
		Street		City		Zip			
	Persons to contact concerning this application: (Indicate at which address contact may be reached: HO – Head Office, F – Facility)								
	Administration		Title		Phone No.	Ext.	Address		
	Inspection/Sampling		Title		Phone No.	Ext.	Addres		
	Facility generating waste	water is: Existin	g	Start Date:					
Sewer Agency:			•	of Vista					
		☐ City of Carlsbad☐ City of Encinita			eadia County Wa ecitos Water Dist				
	Brief description of the main products or services:								
	Hours of operation: Su _	M	T	W	Th	F S	la		
	Average number of on-si	te employees:							
	Purchased water:		•			o Water District			
		☐ City of Escondido ☐ Vista Irrigation District			☐ Vallecitos Water District ☐ Olivenhain Municipal Water District				
		☐ Other			☐ City of Ocea	-	ristrict		
	Water service account numbers:								

SECTION B – WASTEWATER INFORMATION

1. Complete the following using average daily flows in gallons per day (gpd).

	Wastewater Source	Estimated Volume (gpd)	Discharged to Sewer	Treated Prior to Discharge			
Spent			☐ Yes ☐ No ☐ NA				
	t Bleach-Fix		☐ Yes ☐ No ☐ NA	☐ Yes ☐ No ☐ NA			
	t Stabilizer		☐ Yes ☐ No ☐ NA				
	Developer		☐ Yes ☐ No ☐ NA				
	ewater		☐ Yes ☐ No ☐ NA				
Other	:		☐ Yes ☐ No ☐ NA	\square Yes \square No \square NA			
2.	Type of pretreatment system: □ Metallic Replacement (CRC) □ Electrolytic Recovery □ Precipitation □ Evaporation/Distillation □ Ion Exchange □ Reverse Osmosis □ Hauling □ Other: System testing frequency:						
	Serviced by:		Frequency:				
CECT	ION C. CHEMICAL STO	DACE AND WASTE DISPOSAL	r				
SEC 1 . 1.		RAGE AND WASTE DISPOSAI chemical storage areas and drains 1		storm drain			
1.	Attach a diagram showing	chemical storage areas and drains i	eading to the samtary sewer of	Storm dram.			
2.		ken to prevent accidental discharge	of chemicals to the sewer or s	torm drain (e.g. berms, secondary			
	containment, spill clean-up	kits, employee training).					
				·			
3.	List the type and volume of	f waste hauled off-site along with the	he hauler information.				
	Description	Volume (college/month)	Haulan	Norma C. Addressa			
	Description	Volume (gallons/month)	Hauler	Name & Address			
SECT	ION D – CERTIFICATION	N					
I certif	fy that the information above	is true and correct to the best of my	v knowledge.				
SIGNA	ATURE		TITLE				
PRINT	ΓΝΑΜΕ		DATE				